

Supplementary Table 1. Initial symptoms, affected sinuses, and the location of parenchymal lesions

	Unprovoked (n = 19)	Provoked, Resolved (n = 11)	Provoked, Persistent (n = 31)	P
Initial symptoms				
Headache	14 (73.7)	5 (45.5)	18 (58.1)	0.332
Seizure	8 (44.4)	5 (45.5)	10 (33.3)	0.663
Visual disturbance	3 (16.7)	0 (0.0)	7 (23.3)	0.211
Altered mental status	2 (11.1)	1 (9.1)	2 (6.7)	0.864
Limb weakness	2 (11.1)	3 (27.3)	3 (10.0)	0.336
Affected sinuses				
Superior sagittal sinus	10 (52.6)	6 (54.5)	19 (61.3)	0.817
Transverse sinus	11 (57.9)	4 (36.4)	20 (64.5)	0.268
Sigmoid sinus	4 (21.1)	2 (18.2)	8 (25.8)	0.851
Jugular vein	4 (21.1)	1 (9.1)	2 (3.3)	0.558
Cortical vein	1 (5.3)	2 (18.2)	3 (9.7)	0.519
Straight sinus	3 (15.8)	1 (9.1)	3 (9.7)	0.776
Location of parenchymal lesions				
Frontal	4 (26.7)	4 (36.4)	10 (40.0)	0.288
Temporal	3 (20.0)	1 (9.1)	4 (15.4)	
Parietal	4 (26.7)	3 (27.3)	5 (19.2)	
Brainstem	2 (13.3)	1 (9.1)	1 (3.8)	
Cerebellum	0 (0.0)	2 (18.2)	0 (0.0)	
Subdural hemorrhage	0 (0.0)	0 (0.0)	3 (11.5)	
Multiple	2 (13.3)	0 (0.0)	3 (11.5)	